


# NEONATAL ABSTINENCE SYNDROME (NAS)

OPIOID-RELATED NAS IS ALSO KNOWN  
AS NEONATAL OPIOID WITHDRAWAL  
SYNDROME (NOWS)

WHAT YOU NEED TO KNOW

**BE WITH YOUR BABY:  
YOU ARE THE  
TREATMENT!**



Learn more: [opgic.org/omno](http://opgic.org/omno)



Injury Prevention Service  
Oklahoma State  
Department of Health



OKLAHOMA PERINATAL QUALITY  
IMPROVEMENT COLLABORATIVE

- 1 **Hold your baby:** When your baby is fussy or upset, hold your baby. Your family can help too.
- 2 **Practice these calming techniques:**
  - Swaddle or tightly wrap your baby in a blanket to help soothe him or her. Ask your nurse to show you how to swaddle your baby.
  - Pacifier
  - Shooshing, singing, or humming
  - Slow, rhythmic movements (e.g., swing, rock, or walk)
- 3 **Feed on demand:** If you can, feed your baby breast milk. Feed your baby on demand by watching your baby for feeding cues instead of by the clock.
- 4 **Skin-to-skin:** Holding your baby skin-to-skin can help calm your baby. Be careful though – if you are feeling sleepy, place your baby in a bassinet or crib.
- 5 **Room-in:** Stay in the same room with your baby in the hospital if possible. This will help make sure you are close by when your baby cries or is fussy, so you can hold and comfort your baby.
- 6 **Quiet room:** Keep the noise level as low as possible by limiting visitors, asking your family, friends, and hospital staff to speak softly, keeping the TV volume low, and talking on the phone quietly.
- 7 **Dim the lights** in your room.
- 8 **Cluster care:** Ask your doctors and nurses to group their care visits together when possible to help limit disruptions for your baby.
- 9 **Medications:** Some babies with NAS require medication to help with their symptoms of withdrawal and to allow them to sleep, eat, and be comfortable.

## Learn more: [opqic.org/omno](http://opqic.org/omno)

.....

This publication was supported by cooperative agreements 6 NU17CE002745-04 and 1 NB01OT009219-01 from the Centers for Disease Control and Prevention (CDC). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC or the Department of Health and Human Services. This publication was issued by the Oklahoma State Department of Health, an equal opportunity employer and provider. 90,000 were printed by Mercury Press Plus at a cost of \$3,742.84. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries in compliance with section 3-114 of Title 65 of the Oklahoma Statutes and is available for download at [www.documents.ok.gov](http://www.documents.ok.gov). | Issued August 2019. Adapted with permission from the Illinois Perinatal Quality Collaborative.